

18CN000037262/IIKS
G-CELL TECHNOLOGY CO LTD
RM1423 HONGYU BUILDING LONGGUAN ROAD LONGHUA
SHENZHEN

IM 4



19343100IM213150
AMBARLI GÜMRÜK MÜDÜRLÜĞÜ
03.12.2019

1 2 3

13 570 19-00427 SEGMENT

7580183223 / BO AZ Ç KURUML
T C LTD T ,
SEGMENT B LG SAYAR DI
DEREBOYU CAD.NO 79 B
MEC D YEKÖY STANBUL

7580183223
SEGMENT B LG SAYAR DI T C LTD T ,
DEREBOYU CAD.NO 79 B
MEC D YEKÖY STANBUL

720 720

19-00427 7580183223
SEGMENT B LG SAYAR DI . T C. LTD. T .
DEREBOYU CAD. NO:79/B

Ç N HALK CUMHUR YET 720 052

TÜRK YE

YM WREATH

958 1 FOB Ç N

YM WREATH

958 USD 148.074,10 5,75290 1 1

10

AMBARLI GÜMRÜK MÜDÜRLÜĞÜ GARANT BANKASI-MECIDIYEKOY

AMBARLI GÜMRÜK MÜDÜRLÜĞÜ MARDİ

PE N

1 KONTEYNER 250 AD Marka:ADDR
No:NYKU9895499
Ticari tanımı:POWERR BANK
K1: KULLANILMAMI

1 85076000 00 00

720 41,40

4000 40,15

19343100IM087815 / 06.11.2019

VEKALET=' MZA S RKÜSÜ:31.05.2018/21922 F RMA TEMS LC S ' NYKU9895499 Fatura
(V) 05.11.2019/GC19SG005109-2 Navlun Makbuzu (V) 27.11.2019/GEZ20190000005284
Sigorta Poliçesi (V) 04.11.2019/1929 TPS-Pil-Akü Uygunluk Yazısı (V)
02.12.2019/19243082610942014865732/1 Transfer Bildirim Formu (V)
16.09.2019/19000000620887000200512/1

250,00 Adet 575,00

579,64

10	3.334,60	2,70	90,03	P			
40	3.533,95	18,00	636,11	P	MalBed.	851.855,50	G.V. 23.167,86
52	3.533,95	0,00	0,00	P	Sigorta	460,23	DV 97,10
89	0,00	0,00	97,10	P	Navlun	5.752,90	Banka Mas. 150,00
					Ara Toplam	858.068,63	Liman Gid. 1.500,00
					GV Mat.	858.068,63	YURT Ç 1.500,00
							KDVMat. 884.483,59

823,24



--

BEYAN THALATÇI= SEGMENT B LG SAYAR DI T C LTD T ,
DEREBOYU CAD.NO 79 B
MEC D YEKÖY STANBUL

HRACATÇI= G-CELL TECHNOLOGY CO LTD
RM1423 HONGYU BUILDING LONGGUAN ROAD LONGHUA
SHENZHEN

IM 4

VN=18CN000037262/IIKS

TESC L NO - TAR H = 19343100IM213150

03.12.2019

DOSYA NO:19-00427

Kal	G.T. .P.	E YANIN C NS	MKTR	REJ	MEN	ANKOD	BRÜT KG	NET KG	ÖLÇ	ST.KIYMET	KAL.F YAT	KAP.AD	T P	MATRAH	ORAN	TUTAR
2	8507 6000 0000	POWER BANK	400 AD	4000	720	-	105,1	100,1	Adet	1499,79	1488,00	1	10 40 52	8628,13 8892,74 8892,74	2,7 18 0	232,96P 1600,69P 0P

EK BELGELER

Fatura (V) 05.11.2019/GC19SG005109-2 Navlun Makbuzu (V) 27.11.2019/GEZ20190000005284 Sigorta Poliçesi (V) 04.11.2019/1929 TPS-Pil-Akü Uygunluk Yazısı (V) 02.12.2019/19243082610942014867025/1
Transfer Bildirim Formu (V) 16.09.2019/19000000620887000200512/1
K1: KULLANILMAMI || No : [NYKU9895499]

3	8507 6000 0000	POWER BANK	470 AD	4000	720	-	123,5	117,62	Adet	1762,25	1748,40	1	10 40 52	10138,05 10448,97 10448,97	2,7 18 0	273,73P 1880,81P 0P
---	----------------------	------------	--------	------	-----	---	-------	--------	------	---------	---------	---	----------------	----------------------------------	----------------	---------------------------

EK BELGELER

Fatura (V) 05.11.2019/GC19SG005109-2 Navlun Makbuzu (V) 27.11.2019/GEZ20190000005284 Sigorta Poliçesi (V) 04.11.2019/1929 TPS-Pil-Akü Uygunluk Yazısı (V) 02.12.2019/19243082610942014865673/1
Transfer Bildirim Formu (V) 16.09.2019/19000000620887000200512/1
K1: KULLANILMAMI || No : [NYKU9895499]

4	8507 6000 0000	POWER BANK	310 AD	4000	720	-	91,35	88,76	Adet	1011,39	1001,30	1	10 40 52	5818,41 5996,8 5996,8	2,7 18 0	157,1P 1079,42P 0P
---	----------------------	------------	--------	------	-----	---	-------	-------	------	---------	---------	---	----------------	-----------------------------	----------------	--------------------------

EK BELGELER

Fatura (V) 05.11.2019/GC19SG005109-2 Navlun Makbuzu (V) 27.11.2019/GEZ20190000005284 Sigorta Poliçesi (V) 04.11.2019/1929 TPS-Pil-Akü Uygunluk Yazısı (V) 02.12.2019/19243082610942014861924/1
Transfer Bildirim Formu (V) 16.09.2019/19000000620887000200512/1
K1: KULLANILMAMI || No : [NYKU9895499]

5	8507 6000 0000	POWER BANK	200 AD	4000	720	-	80,6	78,1	Adet	1243,09	1234,00	1	10 40 52	7151,38 7370,72 7370,72	2,7 18 0	193,09P 1326,73P 0P
---	----------------------	------------	--------	------	-----	---	------	------	------	---------	---------	---	----------------	-------------------------------	----------------	---------------------------

EK BELGELER

Fatura (V) 05.11.2019/GC19SG005109-2 Navlun Makbuzu (V) 27.11.2019/GEZ20190000005284 Sigorta Poliçesi (V) 04.11.2019/1929 TPS-Pil-Akü Uygunluk Yazısı (V) 02.12.2019/19243082610942014860982/1
Transfer Bildirim Formu (V) 16.09.2019/19000000620887000200512/1
K1: KULLANILMAMI || No : [NYKU9895499]

BEYAN THALATÇI= SEGMENT B LG SAYAR DI T C LTD T ,
DEREBOYU CAD.NO 79 B
MEC D YEKÖY STANBUL

HRACATÇI= G-CELL TECHNOLOGY CO LTD
RM1423 HONGYU BUILDING LONGGUAN ROAD LONGHUA
SHENZHEN

IM 4

VN=18CN000037262/IIKS

TESC L NO - TAR H = 19343100IM213150

03.12.2019

DOSYA NO:19-00427

Kal	G.T. .P.	E YANIN C NS	MKTR	REJ	MEN	ANKOD	BRÜT KG	NET KG	ÖLÇ	ST.KIYMET	KAL.F YAT	KAP.AD	T P	MATRAH	ORAN	TUTAR
6	8507	POWER BANK	180 AD	4000	720	-	53,04	51,54	Adet	587,26	581,40	1	10	3378,44	2,7	91,22P
	6000												40	3482,03	18	626,77P
	0000												52	3482,03	0	0P

EK BELGELER

Fatura (V) 05.11.2019/GC19SG005109-2 Navlun Makbuzu (V) 27.11.2019/GEZ20190000005284 Sigorta Poliçesi (V) 04.11.2019/1929 TPS-Pil-Akü Uygunluk Yazısı (V) 02.12.2019/19243082610942014863880/1
Transfer Bildirim Formu (V) 16.09.2019/19000000620887000200512/1
K1: KULLANILMAMI || No : [NYKU9895499]

7	8507	POWER BANK	230 AD	4000	720	-	38,09	36,94	Adet	533,26	529,00	1	10	3067,82	2,7	82,83P
	6000												40	3161,91	18	569,14P
	0000												52	3161,91	0	0P

EK BELGELER

Fatura (V) 05.11.2019/GC19SG005109-2 Navlun Makbuzu (V) 27.11.2019/GEZ20190000005284 Sigorta Poliçesi (V) 04.11.2019/1929 TPS-Pil-Akü Uygunluk Yazısı (V) 02.12.2019/19243082610942014861923/1
Transfer Bildirim Formu (V) 16.09.2019/19000000620887000200512/1
K1: KULLANILMAMI || No : [NYKU9895499]

8	8507	POWER BANK	2800 AD	4000	720	-	1135,4	1100,4	Adet	20849,85	20720,00	1	10	119947,08	2,7	3238,57P
	6000												40	123626,42	18	22252,76P
	0000												52	123626,42	0	0P

EK BELGELER

Fatura (V) 05.11.2019/GC19SG005109-2 Navlun Makbuzu (V) 27.11.2019/GEZ20190000005284 Sigorta Poliçesi (V) 04.11.2019/1929 TPS-Pil-Akü Uygunluk Yazısı (V) 02.12.2019/19243082610942014866048/1
Transfer Bildirim Formu (V) 16.09.2019/19000000620887000200512/1
K1: KULLANILMAMI || No : [NYKU9895499]

9	8507	POWER BANK	3030 AD	4000	720	-	871,12	845,88	Adet	18220,22	18119,40	1	10	104819,13	2,7	2830,12P
	6000												40	108034,71	18	19446,25P
	0000												52	108034,71	0	0P

EK BELGELER

Fatura (V) 05.11.2019/GC19SG005109-2 Navlun Makbuzu (V) 27.11.2019/GEZ20190000005284 Sigorta Poliçesi (V) 04.11.2019/1929 TPS-Pil-Akü Uygunluk Yazısı (V) 02.12.2019/19243082610942014865016/1
Transfer Bildirim Formu (V) 20.08.2019/19000000620887000178424/1 Transfer Bildirim Formu (V) 16.09.2019/19000000620887000200512/1
K1: KULLANILMAMI || No : [NYKU9895499]

BEYAN THALATÇI= SEGMENT B LG SAYAR DI T C LTD T ,
DEREBOYU CAD.NO 79 B
MEC D YEKÖY STANBUL

HRACATÇI= G-CELL TECHNOLOGY CO LTD
RM1423 HONGYU BUILDING LONGGUAN ROAD LONGHUA
SHENZHEN

IM 4

VN=18CN000037262/IIKS

TESC L NO - TAR H = 19343100IM213150

03.12.2019

DOSYA NO:19-00427

Kal	G.T. .P.	E YANIN C NS	MKTR	REJ	MEN	ANKOD	BRÜT KG	NET KG	ÖLÇ	ST.KIYMET	KAL.F YAT	KAP.AD	T P	MATRAH	ORAN	TUTAR
10	8507	POWER BANK	5820 AD	4000	720	-	1622,81	1574,31	Adet	24976,18	24793,20	1	10	143685,48	2,7	3879,51P
	6000												40	148092,43	18	26656,64P
	0000												52	148092,43	0	0P

EK BELGELER

Navlun Makbuzu (V) 27.11.2019/GEZ20190000005284 Sigorta Poliçesi (V) 04.11.2019/1929 Fatura (V) 05.11.2019/GC19SG005109-2 TPS-Pil-Akü Uygunluk Yazısı (V) 02.12.2019/19243082610942014865958/1
Transfer Bildirim Formu (V) 27.08.2019/19000000620887000184404/1 Transfer Bildirim Formu (V) 20.08.2019/19000000620887000178424/1
K1: KULLANILMAMI || No : [NYKU9895499]

11	8507	POWER BANK	2020 AD	4000	720	-	587,82	570,99	Adet	11743,34	11675,60	1	10	67558,24	2,7	1824,07P
	6000												40	69630,68	18	12533,52P
	0000												52	69630,68	0	0P

EK BELGELER

Fatura (V) 05.11.2019/GC19SG005109-2 Navlun Makbuzu (V) 27.11.2019/GEZ20190000005284 Sigorta Poliçesi (V) 04.11.2019/1929 TPS-Pil-Akü Uygunluk Yazısı (V) 02.12.2019/19243082610942014866747/1
Transfer Bildirim Formu (V) 16.09.2019/19000000620887000200512/1
K1: KULLANILMAMI || No : [NYKU9895499]

12	8507	POWER BANK	14520 AD	4000	720	-	3387,24	3290,24	Adet	57303,12	56918,40	1	10	329659,14	2,7	8900,8P
	6000												40	339770,78	18	61158,74P
	0000												52	339770,78	0	0P

EK BELGELER

Fatura (V) 05.11.2019/GC19SG005109-2 Navlun Makbuzu (V) 27.11.2019/GEZ20190000005284 Sigorta Poliçesi (V) 04.11.2019/1929 TPS-Pil-Akü Uygunluk Yazısı (V) 02.12.2019/19243082610942014861672/1
Transfer Bildirim Formu (V) 01.11.2019/19000000620887000239135/1 Transfer Bildirim Formu (V) 27.08.2019/19000000620887000184404/1
K1: KULLANILMAMI || No : [NYKU9895499]

13	8507	POWER BANK	2040 AD	4000	720	-	1431,72	1390,72	Adet	8844,71	8690,40	1	10	50882,73	2,7	1373,83P
	6000												40	52441,45	18	9439,46P
	0000												52	52441,45	0	0P

EK BELGELER

Fatura (V) 05.11.2019/GC19SG005109-2 Navlun Makbuzu (V) 27.11.2019/GEZ20190000005284 Sigorta Poliçesi (V) 04.11.2019/1929 TPS-Pil-Akü Uygunluk Yazısı (V) 02.12.2019/19243082610942014864036/1
Transfer Bildirim Formu (V) 20.08.2019/19000000620887000178424/1
K1: KULLANILMAMI || No : [NYKU9895499]

TOPLAM:			32.270,00	AD			9.569,19	9.285,75		149.154,10	148.074,10		10	858.068,63		23.167,86P
													40	884.483,59		159.207,04P
													52	884.483,59		0,00P
													89	0,00		97,10P

TOPLAM: 182.472,00