

18CN000037262/IIKS
G-CELL TECHNOLOGY CO LTD
RM1423 HONGYU BUILDING LONGGUAN ROAD LONGHUA
SHENZHEN

IM 4



19343100IM224495
AMBARLI GÜMRÜK MÜDÜRLÜĞÜ
18.12.2019

1 2 3

12 846 19-00443 SEGMENT

7580183223 / BO AZ Ç KURUML
T C LTD T ,
SEGMENT B LG SAYAR DI
DEREBOYU CAD.NO 79 B
MEC D YEKÖY STANBUL

7580183223
SEGMENT B LG SAYAR DI T C LTD T ,
DEREBOYU CAD.NO 79 B
MEC D YEKÖY STANBUL

720 720

19-00443 7580183223
SEGMENT B LG SAYAR DI . T C. LTD. T .
DEREBOYU CAD. NO:79/B

Ç N HALK CUMHUR YET 720 052
TÜRK YE

HAMBURG EXPRESS 958 1 FOB Ç N
HAMBURG EXPRESS 958 USD 163.811,80 5,86640 1 1

10 AMBARLI GÜMRÜK MÜDÜRLÜĞÜ NANSBANK-MEC D YEKÖY B.

AMBARLI GÜMRÜK MÜDÜRLÜĞÜ MARDA PE N

1 KONTEYNER 10070 AD Marka:ADDR 1 85076000 00 00
No:TCLU3443130
Ticari tanımı:POWER BANK IP-G11M 720 2.645,89
K1: KULLANILMAMI 4000 2.520,01
19343100IM091177 / 18.11.2019

VEKALET=' MZA S RKÜSÜ:31.05.2018/21922 F RMA TEMS LC S ' TCLU3443130 Fatura 10.070,00 Adet 37.460,40
(V) 15.11.2019/GC19SG005109-3 Navlun Makbuzu (V) 11.12.2019/GEZ2019000005516
Sigorta Poliçesi (V) 17.11.2019/1950 TPS-Pil-Akü Uygunluk Yazısı (V)
17.12.2019/19243082610942015078250/1 Transfer Bildirim Formu (V)
09.08.2019/19000000620887000174392/1 Transfer Bildirim Formu (V) 37.690,91
11.09.2019/19000000620887000196864/1

10	221.109,97	2,70	5.969,97	P			
40	227.885,95	18,00	41.019,47	P	MalBed.	960.985,54	G.V. 26.103,40
52	227.885,95	0,00	0,00	P	Sigorta	527,98	DV 97,10
89	0,00	0,00	97,10	P	Navlun	5.279,76	Banka Mas. 100,00
					Ara Toplam	966.793,28	Liman Gid. 1.500,00
					GV Mat.	966.793,28	YURT Ç 1.500,00
							KDVMat. 996.093,78

47.086,54



--

BEYAN THALATÇI= SEGMENT B LG SAYAR DI T C LTD T ,
DEREBOYU CAD.NO 79 B
MEC D YEKÖY STANBUL

HRACATÇI= G-CELL TECHNOLOGY CO LTD
RM1423 HONGYU BUILDING LONGGUAN ROAD LONGHUA
SHENZHEN

IM 4 VN=18CN000037262/IIKS TESC L NO - TAR H = 19343100IM224495 18.12.2019 DOSYA NO:19-00443

Kal	G.T. .P.	E YANIN C NS	MKTR	REJ	MEN	ANKOD	BRÜT KG	NET KG	ÖLÇ	ST.KIYMET	KAL.F YAT	KAP.AD	T P	MATRAH	ORAN	TUTAR
2	8507 6000 0000	POWER BANK HP-C20	60 AD	4000	720	-	24,18	23,43	Adet	372,32	370,20	1	10 40 52	2184,18 2250,16 2250,16	2,7 18 0	58,97P 405,03P 0P

EK BELGELER

Fatura (V) 15.11.2019/GC19SG005109-3 Navlun Makbuzu (V) 11.12.2019/GEZ2019000005516 Sigorta Poliçesi (V) 17.11.2019/1950 TPS-Pil-Akü Uygunluk Yazısı (V) 17.12.2019/19243082610942015075094/1
Transfer Bildirim Formu (V) 11.09.2019/19000000620887000196864/1
K1: KULLANILMAMI || No : [TCLU3443130]

3	8507 6000 0000	POWER BANK HP-C11	90 AD	4000	720	-	26,52	25,77	Adet	292,96	290,70	1	10 40 52	1718,64 1770,54 1770,54	2,7 18 0	46,4P 318,7P 0P
---	----------------------	-------------------	-------	------	-----	---	-------	-------	------	--------	--------	---	----------------	-------------------------------	----------------	-----------------------

EK BELGELER

Fatura (V) 15.11.2019/GC19SG005109-3 Navlun Makbuzu (V) 11.12.2019/GEZ2019000005516 Sigorta Poliçesi (V) 17.11.2019/1950 TPS-Pil-Akü Uygunluk Yazısı (V) 17.12.2019/19243082610942015073753/1
Transfer Bildirim Formu (V) 11.09.2019/19000000620887000196864/1
K1: KULLANILMAMI || No : [TCLU3443130]

4	8507 6000 0000	POWER BANK IP-G23	230 AD	4000	720	-	93,26	90,39	Adet	1710,34	1702,00	1	10 40 52	10033,51 10336,61 10336,61	2,7 18 0	270,9P 1860,59P 0P
---	----------------------	-------------------	--------	------	-----	---	-------	-------	------	---------	---------	---	----------------	----------------------------------	----------------	--------------------------

EK BELGELER

Fatura (V) 15.11.2019/GC19SG005109-3 Navlun Makbuzu (V) 11.12.2019/GEZ2019000005516 Sigorta Poliçesi (V) 17.11.2019/1950 TPS-Pil-Akü Uygunluk Yazısı (V) 17.12.2019/19243082610942015074641/1
Transfer Bildirim Formu (V) 11.09.2019/19000000620887000196864/1
K1: KULLANILMAMI || No : [TCLU3443130]

5	8507 6000 0000	POWER BANK IP-958	240 AD	4000	720	-	66,92	64,92	Adet	1028,27	1022,40	1	10 40 52	6032,26 6214,47 6214,47	2,7 18 0	162,87P 1118,6P 0P
---	----------------------	-------------------	--------	------	-----	---	-------	-------	------	---------	---------	---	----------------	-------------------------------	----------------	--------------------------

EK BELGELER

Fatura (V) 15.11.2019/GC19SG005109-3 Navlun Makbuzu (V) 11.12.2019/GEZ2019000005516 Sigorta Poliçesi (V) 17.11.2019/1950 TPS-Pil-Akü Uygunluk Yazısı (V) 17.12.2019/19243082610942015073705/1
Transfer Bildirim Formu (V) 11.09.2019/19000000620887000196864/1
K1: KULLANILMAMI || No : [TCLU3443130]

BEYAN THALATÇI= SEGMENT B LG SAYAR DI T C LTD T ,
DEREBOYU CAD.NO 79 B
MEC D YEKÖY STANBUL

HRACATÇI= G-CELL TECHNOLOGY CO LTD
RM1423 HONGYU BUILDING LONGGUAN ROAD LONGHUA
SHENZHEN

IM 4 VN=18CN000037262/IIKS TESC L NO - TAR H = 19343100IM224495 18.12.2019 DOSYA NO:19-00443

Kal	G.T. .P.	E YANIN C NS	MKTR	REJ	MEN	ANKOD	BRÜT KG	NET KG	ÖLÇ	ST.KIYMET	KAL.F YAT	KAP.AD	T P	MATRAH	ORAN	TUTAR
6	8507 6000 0000	POWER BANK IP-W11	2020 AD	4000	720	-	587,82	570,99	Adet	11728,65	11675,60	1	10 40 52	68804,97 70883,65 70883,65	2,7 18 0	1857,73P 12759,06P 0P

EK BELGELER

Fatura (V) 15.11.2019/GC19SG005109-3 Navlun Makbuzu (V) 11.12.2019/GEZ2019000005516 Sigorta Poliçesi (V) 17.11.2019/1950 TPS-Pil-Akü Uygunluk Yazısı (V) 17.12.2019/19243082610942015074915/1
Transfer Bildirim Formu (V) 13.11.2019/19000000620887000249056/1 Transfer Bildirim Formu (V) 09.08.2019/19000000620887000174392/1
K1: KULLANILMAMI || No : [TCLU3443130]

7	8507 6000 0000	POWER BANK IP-G2710	630 AD	4000	720	-	183,33	178,08	Adet	2485,5	2469,60	1	10 40 52	14580,95 15021,37 15021,37	2,7 18 0	393,69P 2703,85P 0P
---	----------------------	---------------------	--------	------	-----	---	--------	--------	------	--------	---------	---	----------------	----------------------------------	----------------	---------------------------

EK BELGELER

Fatura (V) 15.11.2019/GC19SG005109-3 Navlun Makbuzu (V) 11.12.2019/GEZ2019000005516 Sigorta Poliçesi (V) 17.11.2019/1950 TPS-Pil-Akü Uygunluk Yazısı (V) 17.12.2019/19243082610942015077816/1
Transfer Bildirim Formu (V) 13.11.2019/19000000620887000249056/1
K1: KULLANILMAMI || No : [TCLU3443130]

8	8507 6000 0000	POWER BANK IP-G2711	2000 AD	4000	720	-	582	565,33	Adet	8570,86	8520,00	1	10 40 52	50280,08 51798,88 51798,88	2,7 18 0	1357,56P 9323,8P 0P
---	----------------------	---------------------	---------	------	-----	---	-----	--------	------	---------	---------	---	----------------	----------------------------------	----------------	---------------------------

EK BELGELER

Fatura (V) 15.11.2019/GC19SG005109-3 Navlun Makbuzu (V) 11.12.2019/GEZ2019000005516 Sigorta Poliçesi (V) 17.11.2019/1950 TPS-Pil-Akü Uygunluk Yazısı (V) 17.12.2019/19243082610942015081197/1
Transfer Bildirim Formu (V) 13.11.2019/19000000620887000249056/1
K1: KULLANILMAMI || No : [TCLU3443130]

9	8507 6000 0000	POWER BANK IP-G256	3030 AD	4000	720	-	693,36	668,11	Adet	9847,29	9786,90	1	10 40 52	57768,14 59513,09 59513,09	2,7 18 0	1559,74P 10712,36P 0P
---	----------------------	--------------------	---------	------	-----	---	--------	--------	------	---------	---------	---	----------------	----------------------------------	----------------	-----------------------------

EK BELGELER

Fatura (V) 15.11.2019/GC19SG005109-3 Navlun Makbuzu (V) 11.12.2019/GEZ2019000005516 Sigorta Poliçesi (V) 17.11.2019/1950 TPS-Pil-Akü Uygunluk Yazısı (V) 17.12.2019/19243082610942015073750/1
Transfer Bildirim Formu (V) 13.11.2019/19000000620887000249056/1
K1: KULLANILMAMI || No : [TCLU3443130]

BEYAN THALATÇI= SEGMENT B LG SAYAR DI T C LTD T ,
DEREBOYU CAD.NO 79 B
MEC D YEKÖY STANBUL

HRACATÇI= G-CELL TECHNOLOGY CO LTD
RM1423 HONGYU BUILDING LONGGUAN ROAD LONGHUA
SHENZHEN

IM 4

VN=18CN000037262/IIKS

TESC L NO - TAR H = 19343100IM224495

18.12.2019

DOSYA NO:19-00443

Kal	G.T. .P.	E YANIN C NS	MKTR	REJ	MEN	ANKOD	BRÜT KG	NET KG	ÖLÇ	ST.KIYMET	KAL.F YAT	KAP.AD	T P	MATRAH	ORAN	TUTAR
10	8507	POWER BANK IP-G55	5000 AD	4000	720	-	828	803	Adet	11572,01	11500,00	1	10	67886,06	2,7	1832,92P
	6000												40	69936,6	18	12588,59P
	0000												52	69936,6	0	0P

EK BELGELER

Sigorta Poliçesi (V) 17.11.2019/1950 Fatura (V) 15.11.2019/GC19SG005109-3 Navlun Makbuzu (V) 11.12.2019/GEZ2019000005516 TPS-Pil-Akü Uygunluk Yazısı (V) 17.12.2019/19243082610942015078249/1
Transfer Bildirim Formu (V) 13.11.2019/19000000620887000249056/1
K1: KULLANILMAMI || No : ['TCLU3443130']

11	8507	POWER BANK IP-867	10100 AD	4000	720	-	2834,06	2733,06	Adet	40849,17	40602,00	1	10	239637,55	2,7	6470,21P
	6000												40	246876,13	18	44437,7P
	0000												52	246876,13	0	0P

EK BELGELER

Fatura (V) 15.11.2019/GC19SG005109-3 Navlun Makbuzu (V) 11.12.2019/GEZ2019000005516 Sigorta Poliçesi (V) 17.11.2019/1950 TPS-Pil-Akü Uygunluk Yazısı (V) 17.12.2019/19243082610942015073751/1
Transfer Bildirim Formu (V) 04.12.2019/19000001110887000092036/1 Transfer Bildirim Formu (V) 13.11.2019/19000000620887000249056/1
K1: KULLANILMAMI || No : ['TCLU3443130']

12	8507	POWER BANK IP-757	9900 AD	4000	720	-	2777,94	2678,94	Adet	38653,51	38412,00	1	10	226756,97	2,7	6122,44P
	6000												40	233606,33	18	42049,14P
	0000												52	233606,33	0	0P

EK BELGELER

Fatura (V) 15.11.2019/GC19SG005109-3 Navlun Makbuzu (V) 11.12.2019/GEZ2019000005516 Sigorta Poliçesi (V) 17.11.2019/1950 TPS-Pil-Akü Uygunluk Yazısı (V) 17.12.2019/19243082610942015075183/1
Transfer Bildirim Formu (V) 04.12.2019/19000001110887000092036/1
K1: KULLANILMAMI || No : ['TCLU3443130']

TOPLAM:			43.370,00	AD			11.343,28	10.922,03		164.801,79	163.811,80		10	966.793,28		26.103,40P
													40	996.093,78		179.296,89P
													52	996.093,78		0,00P
													89	0,00		97,10P

TOPLAM: 205.497,39